

MINUTES OF MEETING REGARDING TECHNICAL EVALUATION REPORT OF BULK <u>PURCHASE OF DRUG/MEDICINE INJECTABLE, ONCOLOGY</u>, ORALS ITEMS AND <u>SURGICAL DIALYSIS ITEMS</u>, FOR ALLAMA IQBAL TEACHING HOSPITAL DERA GHAZI <u>KHAN FOR THE FINANCIAL YEAR 2025-2026</u>

The meeting of technical evaluation committee was held in the office of Professor Dr. Shakeel Ahmad Leghari Professor of Peads D.G. Khan Medical College D.G. Khan for for the financial year 2025-26 for Allama Iqbal Teaching Hospital Dera Ghazi Khan.

Sr. No	NAME OF OFFICERS WITH DESIGNATION	1
1.	DR. SHAHID HUSSAIN MAGSI MEDICAL SUPERINTENDENT ALLAMA IQBAL TEACHING HOSPITAL DERA GHAZI KHAN	CHAIRMAN
2.	DR. MUHAMMAD NAJIB UR REHMAN CHIEF CONSULATTANT ANESTHESIA ALLAMA IQBAL TEACHING HOSPITAL DERA GHAZI KHAN	MEMBER
3.	PROF, DR. SHAKEEL AHMAD LEGHARI PROFESSOR OF PEADS MEDICINE DEPARTMENT ALLAMA IQBAL TEACHING HOSPITAL DERA GHAZI KHAN D.G KHAN	Senior Technical Officer
4.	DR. ALI HASHIM KHAN ADDITIONAL PRINCIPAL MEDICAL OFFICER ALLAMA IQBAL TEACHING HOSPITAL DERA GHAZI KHAN	MEMBER
5.	DR. FAISAL MEHBOOB PHARMACIST ALLAMA IQBAL TEACHING HOSPITAL DERA GHAZI KHAN	MEMBER
6.	DR. ANUM AQEEL PHARMACIST ALLAMA IQBAL TEACHING HOSPITAL DERA GHAZI KHAN	MEMBER
7.	MRS. SARA FATIMA QAISRANI BIO MEDICAL ENGINEER ALLAMA IQBAL TEACHING HOSPITAL DERA GHAZI KHAN	MEMBER

The following officer's attendant the meeting:-

The meeting was started with the recitation of Holy Quran. All the members for invited to share their comments and finding regarding problems and solution about tender to Bulk purchase of **Medicine Injectable**, **Orals**, **Oncology Items** & **Surgical Dialysis Items)**, Specification has also been evaluated the end user and minor deviations (i.e sizes Cap./Tab.) in specification were accepted for best interest and healthy competition. During scrutiny either firms or there some items are rejected/not entertained due to following reason"-





SR. NO	NAME OF FIRMS	PACKAGE NAME	STATUS							
1	M/S Hansel Pharmaceuticals Ltd Lahore	Medicine Injectable	Firm provided multiple CDRs however applied Sr No.64 only e-Pad and accepted only CDR Amount Rs.2,040,000/-							
2	M/S Shazeb Pharmaceuticals Ltd Lahore	Medicine Injectable	submitted only single page of technical proposal due this further evolution could not possible for sr No.9,10,11,12,18,19,20,23,24,25,76,157 and the CDR Amount of Rs.8,400/- Received extra.							
3	M/S Jameel Trader	Medicine Injectable	Applied on lot No 1, But Not Attached technical as well as 2% Cdr (Failed)							
4	Multan M/S Medisvae Pharmaceuticals	Medicine Injectable	Firm has applied on lot no.1 But in technical Proposal mentioned Sr.No. 37,61,77,115,,124,169 on page No. 6, so we are unable to proceed further as they are not uploaded on E-PAD							
5	M/S Hiranies Pharma	Medicine Oral Items	Only considered for lot No.299 because firm applied on this lot No, and rejected for all other items as they were not applied e-Pad							
6	M/S Kaizen Pharmaceuticals pvt Ltd Karachi	Medicine Oral Items	Only considered for lot No.156 because firm applied on this lot No, and rejected for all other items as they were not applied e-Pad							
7	M/S Atco laboratories	Medicine Oral Items	Firm has not applied for lot no 278 as per technical bids on page No 155 (rejected) and also not submitted 2% CDR							
8	M/S Getz Pharma	Medicine Oral Items	Firm has not applied on lot no 229 so we are unable to evaluate further							
9	M/S Platinum Pharmaceuticals Pvt Ltd Karachi	Medicine Oral Items	Firm has not applied on lot no 131 & 166 so we are unable to evaluate furthe							
10	M/S Medisvae Pharmaceuticals	Medicine Oral Items	Only considered for lot No.23 because firm applied on this lot No, and rejected for all other items as they not applied e- Pad							
11	M/S Lucky Core Industries Karachi	Medicine Oral Items	We have Received Bank Guarantee but there is No Participation on e-Pad							
12	M/S Sante Pakistan	Medicine Oral Items	We have Received CDR but there is No Participation on e-Pad							
13	M/S Haleon Pakistan Pvt Ltd	Medicine Oral Items	We have Received Bank Guarantee but there is No Participation on e-Pad							
14	M/S Brookes Pharma Pvt Ltd Karachi	Medicine Oral Items								
15	M/S Jameel Traders Multan	Oncology Items	Applied on lot No 1, But Not Attached technical as well as 2% Cdr (Failed)							
16	M/S The Cure Lahore	Dialysis Items	Only considered for lot No.02 because firm applied on this lot No, and rejected for all other items as they not applied e- Pad							
17	M/S 3N-Lifemed Lahore	Dialysis Items	We have Received GDR but there is No Participation on e-Pad							
	DR. ANUM AQEEL PHARMACIST MA IQBAL TEACHING HOS DERA GHAZI KHAN	SPITAL ALLA	DR. FAISAL MEHBOOB PHARMACIST MA IQBAL TEACHING HOSPITAL DERA GHAZI KHAN							





MRS. SARA FATÌMA QAISRANI BIO MEDICAL ENGINEER ALLAMA IQBAL TEACHING HOSPITAL DERA GHAZI KHAN

PROF, DR. SHAKEEL AHMAD LEGHARI PROFESSOR OF PEADS MEDICINE DEPARTMENT ALLAMA IQBAL TEACHING HOSPITAL DERA GHAZI KHAN

DR. ALI HASHIM KHAN

ADDITIONAL PRINCIPAL MEDICAL OFFICER ALLAMA IQBAL TEACHING HOSPITAL DERA GHAZI KHAN

DR. MUHAMMAD NAJIB UR REHMAN CHIEF CONSULATTANT ANESTHESIA ALLAMA IQBAL TEACHING HOSPITAL DERA GHAZI/KHAN

DR. SHAHID HUSSAIN MAGSI MEDICAE SUPERINTENDENT ALLAMA IQBAL TEACHING HOSPITAL DERA GHAZI KHAN



	Technical Performa for Dialysis Items for Allama Iqbal Teaching Hospital, D.G. Khan for the F.Y 2025-26																			
Sr.No	Generic Name	Firm Name	2% Bid Security	Valid DML/DSL/ER Certificate	Valid DRC/Enlistment Certificate of product	Valid GMP/Satis Insp.Report/Vaild ISO 13485	Minimum Annual Turnover(95M)	Agreement/Relevent Certificate	Reg From SECP/ Regr of Firms/FBR	CE/FDA/UNFPA/JpMH LQ/US/WHO	Vaalid Free Sale	1 Year of Experience	Affidavit Private/Public	DTL of Punjab/any competent Lab	Notary Public PQCB	Not blacklisted by AITH/PPRA	AILSRO 470(1)2017	4 Samples/Brochour of the quoted product (Commercial packs)	Remarks	Final Result
	Beta-Hydroxypropane compatible with Fersenious Dialysis machine	M/S Eastern	۲	Y	¥	Y	Y	Y	Y	۲	¥	Y	v	Y	۲	۲	*	Y	Pass	Responsive
2	Beta-Hydroxypropone Tricarboxylic acid compatible with B Braun Dialysis machine	M/S The Cure	v	Y	Y	Y	No	Ŷ	Y	No	Exp	Y	No	No	No	No	No	No	Fail	Not Responsive
		M/S Eastern	Y	Y	¥	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	۲	Y	Y	Pass	Responsive
3	Bicarb cartidge powder 720g compatible with Baxtar Gambro Germony	M/S Eastern	¥	Y	v	Y	Y	Y	Y	Y	Y	Y	Y	¥	۷	Y	×	•	Pass	Responsive
		M/S Renacon	Y	Y	Y	Y	¥	NA	Ŷ	Exp	NA	Y	Y	Y	Y	Y	Y	Y	Fail	Not Responsive
		M/S Iqbal & Com	Y	Y	Y	Y	Y	Y	¥	No	Y	Y	Y	Y	Y	Y	•	۲	Fail	Not Responsive
4	Bicarbonate cartidge powder with B BRAUN 650mg	M/S Eastern	Y	v	Y	¥	Y	Y	Y	Y	Y	Y	Y	Y	¥	Y	×	Y	P215	Responsive
		M/S Renacon	۲	Y	Y	۲.	۲	NA	Y	Exp	NA	Y	Y	Y	Y	•	v	•	Fail	Not Responsive
5	Blood line for Haemodialysis, size 6.5 (adult)	M/S Fresenius	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	×	Y		P255	Responsive
6	Blood line for Haemodialysis, size 6.3 (peads)	M/S Fresenius	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y		Pass	Responsive
7	Central venous pressure (CVP) LINE FOR Haemodialysis for adult (double lumen)(registered) size 12fr	M/S Arfi	Y	Y	Y	×	×	No	Y	No	No	Y	v	Y	Y	Y	•	Y	Fail	Not Responsive
		M/S lqbal & Com	Y	Y	Y	Y	Y	Y	Y	No	No	Y	Y	Y	Y	Y	Y	Y	Fail	Not Responsive
		M/S Sudais	· ¥	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	r	Y	,	Pass	Responsive
9	Clean cart (sodium carbonate) A compatible with Baxtar Gambro Germany	M/S Iqbal & Com	Y	Y	Y	Y	Y	Y	Y	No	Y	Y	Y	Y	Y	Y	Y		Fail	Not Responsive
10	clean cart -c (citric -acid)compatible with Baxtar Gambro	M/S Iqbal & Com	۲	Y	Y	Y	Y	Y	Y	No	Y	Y	Ÿ	Y	Y	Y	v	Y	Fall	Not Responsive
1	concentrate solution for Haemodialysis(liquid part A)	M/S Jassh Pharma	Y	Y	Y	Exp	Y	NA	v	No	NA	Y	Y	•	Y	Y	r	Y	Fail	Not Responsive
		M/S Renacon	Y	Y	×	Y	Y	NA	Y	Exp	NA	Y	Y	Y	Y	Y			Fail	Not Responsive
The best of the the																				



	Generk Name	Firm Name	2% Bid Security	Valid DML/DSL/ER Certificate	Valid DRC/Enlistment Certificate of product	Valid GMP/Satis Insp.Report/Vaild ISO 13485	Minimum Annual Turnover(95M)	Agreement/Relevent Certificate	Reg From SECP/ Regr of Firms/FBR	CE/FDA/UNFPA/IpMH LQ/US/WHO	Vaalid Free Sale	1 Year of Experience	Affidavit Private/Public	DTL of Punjab/any competent Lab	Notary Public PQCII	Not blacklisted by ALTH/PPRA	Aff.5RO 470(1)2017	4 Samples/Brochour of the quoted product (Commerctal packs)	Remarks	Pinal Result
12	sodium bicarbonate part B(powder) compatible with Part A	M/S Jassh Pharma	Y	Y	Y	Ехр	Ŷ	NA	Y	No	NA	Y	¥	Y	Y	Y	۲	Y	Fail	Not Responsive
		M/S Renacon	Y	Y	Y	Y	Y	NA	¥	Exp	NA	Y	Y	Y	Ŷ	Y	Y	Y	Fail	Not Responsive
13	Dialyzer for Haemodialysis 1.4m2 peads	M/S Fresenius	Y	Y	Y	Y	Y	Y	Y	Y	Y	Y	۲	Y	Y	Y	Y	•	Pass	Responsive
		M/S IBL Healthcare	Y	Y	Y	Y	۲	¥	¥	۲	No	Y	۲	Y	Y	,	¥	•	fail	Not Responsive
15	Dialyzer for Haemodialysis 1.6m2	M/S IBL Healthcare	Y	Y	Y	Y	Y	¥	Y	۲	No	Y	Y	Y	Y	Y	Y	v	Fail	Not Responsive
17	Dialyzer for Haemodialysis 1.8m2	M/S Fresenius	Y	Y	Y	Y	Y	¥	Y	Y	Y	Y	۲	٧	Y	v	Y	Ţ	P253	Responsive
		M/S IBL Healthcare	Y	Y	Y	Y	Y	¥	Y	y	No	Y	۲	Y	Y	v	Y	•	Fail	Nat Responsive
19	Disinfectant solution competibale with B. Braun dialysis machines (otric acid, lectic acid malac acid and adjuvants)	M/S Eastern	Y	Y	Y	Y	¥	Y	Y	Y	۲	Y	Y	۲	Y	Y	Y	Y	P255	Responsive
		M/S Renacon	Y	Y	Y	Y	Y	NA	Y	Exp	NA	Y	Y	Y	Y	Y	Y	Y	Fail	Not Responsive
		M/S Jassh Pharma	Y	Y	No	No	Y	NA	Y	No	NA	Y	Y	Y	Y	Y	Y	,	۲	Not Responsive
21	Endotoxin filter compatible with fersenious machines	M/S Fresenius	Y	Y	Y	Y	Y	Y	¥	Y	Y	Y	Y	Y	Y	Y	Y	Y	Pass	Responsive
24	Inj. Sodium citrate solution 4% 3ml	M/S Iqbal & Com	۲	۲	Y	Ň	Y	Y	Y	Y	Y	Y	, a	Y	Y	Y	Y	Y	Pass	Responsive

DR. AMUM AQEEL PHARMACIST ALLAMA IQBAL TEACHING HOSPITAL DERA GHAZI KHAN

DR. FASAL MEHBOOB PHARMAGET ALLAMA IOBAL TEACHING HOSPITAL DERA GHAZI KHAN

DR. MUHAMMAD NAJIB UR REHMAN CHIEF CONSULATTANT ANESTHESIA ALLAMA IQBAL TEACHING HOSPITAL DERA GHAZI KHAN

MRS. SARA FATIMA QAISRANI BIO MEDICAL ENGINEER ALLAMA IQBAL TEACHING HOSPITAL DERA GHAZI KHAN

PROF, DR. SHAKEEL AHMAD LEGHARI PROFESSOR OF PEADS MEDICINE DEPARTMENT ALLAMA IOBAL TEACHING HOSPITAL DERA GHAZI KHAN

DR. ALI HASHIM KHAN ADITIONAL PRINCIPAL MEDICAL OFFICER ALLAMA IQBAL TEACHING HOSPITAL DERA GHAZI KHAN

AN DR. SAAHID HUSSAIN MAGSI MEDGAL SUPERINTENDENT LAMA IQBAL TEACHING HOSPITAL DERA GHAZI KHAN